

Solar wall lighting




FEBI POLES

**Designed to last
No matter the conditions**


A compact contemporary lighting pole designed for durability and visual clarity, FEBI 150 features seamless one-piece construction for enhanced structural reliability and a clean architectural profile.

Built from corrosion-resistant composite materials with moulded color throughout, it requires no painting or ongoing maintenance. Integrated Class II insulation and a secure ground fixation system ensure safe, dependable outdoor performance.

Applications: pathways, landscape lighting, commercial developments




Park & Garden




Hiking Trails




Places




Car Park & Rest



Pathways



Campsites



FEBI POLES

FIXTURE TYPE: _____

PROJECT NAME: _____

MATERIAL:

Resin+Expanse+Steel

IP RATING:

IP 55



Bullard Solar retains the right to modify or change product specifications without prior notice, as part of our ongoing commitment to improvement



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

ONE WITH THE SUN

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA

FEBI POLES

FIXTURE TYPE: _____


PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:
CODE: BS-FEB-FL-BL

BS-FEB-FL-BL



1 DIMENSIONS:

Diameter - Ø: 2.36" (6 cm)
Height - H: 59.06" (150 cm)

2 FINISH OPTIONS:

-BL Black



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

ONE WITH THE SUN

sales@gordonbullard.com / www.bullardbollards.com / 1-877-964-4646
991 South Gull Lake Dr Richland, MI 49083 USA