




GENERAL INFORMATION:

Introducing the SLKPRO, Bullard Solar's innovative solar flood light solution designed for exceptional performance and reliability. Unlike most common solution offering low quality lithium ION, the SLKPRO features a durable LifePO4 battery, ensuring consistent illumination and reducing the frequency of battery replacements, making it an eco-friendly choice. With the included remote control, users can conveniently adjust settings such as brightness levels, lighting modes, and timers. The SLKPRO also incorporates a microwave movement sensor, enhancing security and conserving energy by activating the light only when motion is detected. Designed for easy installation, the SLKPRO is crafted from high-quality die-casting aluminum, providing durability and effective heat dissipation. This versatile solar flood light is ideal for various residential, commercial, and industrial settings, offering a dependable and efficient outdoor lighting solution that stands out from the competition.

NOMINAL FLUX 5 880 LUMENS
NOMINAL POWER 30 WATTS



LIGHTING

Efficiency 196 Lumens/Watts
Chips LED PHILIPS Luxeon 30-30 /3000K to 6000K
LED lifetime Over 50000 hours LM80
CCT 3000K to 6000K

BATTERY

Technology Lithium Fer Phosphate LIFEPO4 - 26650
Capacity 120Wh
Charging time 5-6 hours

ENERGY

Solar panel 55 Watts
Cells type Monocrystalline Panel Grade A 25 years

ELECTRONIC

Sensor Microwave 360° motion sensor
Cabling Waterproof Connector, Plug and Play

MECHANICAL

Wall /Pole Mounting Ø 22.5 cm x 6 cm x 3 cm (8.86" x 2.36" x 1.18")

DIMENSIONS

Product L x W x H PV: 53 cm x 45.5 cm x 1.7 cm (PV: 20.87" x 17.91" x 0.67")
Product L x W x H LED FIXTURE: 37.93 cm x 26.17 cm x 6 cm (14.93" x 10.30" x 2.36")

ONE WITH THE SUN

sales@gordonbullard.com
www.bullardsolar.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
SOLAR**
One with the Sun

**CODE:
SLKPRO**



HOW TO ORDER:

CODE:

Example:
CODE: SLKPRO-30-BL-30K

SLKPRO-30-
BL-30K

1

DIMENSIONS:

-30

-30

PV: 53 cm x 45.5 cm x 1.7 cm (PV: 20.87" x 17.91" x 0.67")

LED FIXTURE: 37.93 cm x 26.17 cm x 6 cm (14.93" x 10.30" x 2.36")

2

FINISH OPTIONS:

-BL

-BL

Black

3

CCT:

-23K 2300K
-30K 3000K
-40K 4000K
-50K 5000K
-65K 6500K

ONE WITH THE SUN

sales@gordonbullard.com
www.bullardsolar.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.


© Bullard & Company 2024 All Rights Reserved

Updated 07/09/2024

MAIN FEATURES


MOTION SENSOR

The microwave motion sensor integrated into the SLKPRO offers enhanced security and energy efficiency. This advanced technology detects movement within its range, activating the light only when necessary, ensuring optimal performance and energy conservation.



LIFEPO4 BATTERY

The SLKPRO incorporates the latest technology in solar lighting solutions, providing a reliable and long-lasting performance that spans over a decade. While the initial investment may be higher, the exceptional durability and extended lifespan of over 10 years make it a worthwhile choice for your lighting needs.



EXTREME TEMPERATURE

14°F to 158°F (-40°F OPTIONAL) -10°C TO 70°C (- 40°C OPTIONAL)

When Standard Lithium LiFePo4 batteries enjoy a working temperature range from 14°F to 158°F (-10°C TO 70 °C). Bullard Solar offers as optional a new Special LIFEPO4 battery with working range of -40°F to 158°F (-40 °C to 70 °C.)

LUMINAIRE BRACKET CAP

The SLKPRO features a bracket cap on the flood light, allowing for easy installation and convenient angle adjustment, ensuring optimal illumination and user-friendly setup.


REMOTE CONTROL

The SLKPRO is equipped with a remote control that enables you to effortlessly adjust various working modes according to the season, activate the movement sensor, and modify timer settings, providing a tailored lighting experience to suit your needs.

SOLAR PANEL

The SLKPRO includes a high-quality Grade A monocrystalline solar panel, accompanied by an integrated fixation system, ensuring efficient energy conversion and hassle-free installation.

Solar cells **GRADE A**





ONE WITH THE SUN

sales@gordonbullard.com
www.bullardsolar.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

DIMENSIONS *



ONE WITH THE SUN

sales@gordonbullard.com
www.bullardsolar.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2024 All Rights Reserved

Updated 07/09/2024